Ref	Hits	Search Query	DBs	Default Operator	Phurals	Time Stamp
S1	2	(("20030099321") or ("6510191")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 11:19
52	20	(("5535247") or ("5303400") or ("6100735") or ("5711659") or ("6226505") or ("5913155") or ("6515633") or ("6556630") or ("643669") or ("4742563") or ("6336699") or ("6148186") or ("6044120") or ("5748683") or ("6504912") or ("5748683") or ("620030793"21") or ("20020032042") or ("20020031945") or ("4290022")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 13:10
53	5	delay near tine and tap near address\$2 with (many or several or dual or plurat\$3 or multiple) near4 (mux or select\$3 or multiplexor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 14:18
54	5	delay near line and tap near address\$2 with (many or several or dual or plural\$3 or multiple) near4 (mux or select\$4 or mux or multiplexor) with (delay near line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 14:21
\$5	3	delay near locked near loop and tap near address\$2 with (many or several or dual or plurat\$3 or multiple) near4 (mux or select\$3 or multiplexor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 14:22
<b>S6</b>	3	delay near locked near loop and (many or several or dual or ptural\$3 or multiple) near4 tap near address\$2 with (mux or select\$3 or multiplexor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 14:22
<b>S7</b>	4	delay near locked near loop and (many or several or dual or pturat\$3 or multiple or set) near4 tap near address\$2 with (mux or select\$3 or multiplexor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:16

Search History 4/14/2005 5:06:28 PM Page 1
C:\Documents and Settings\wong\My Documents\EAST\Workspaces\10050233\_1.wsp

S16	10		US-PGPUB;	OR	OFF	2005/04/04 18:02
		select\$4 or multiplexor\$1) same delay near line same address\$2	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S17	935	(mup\$1 or select\$4 or multiplexor\$1) same delay near line same address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:02
S18	42	(mux\$1 or select\$4 or multiplexor\$1) with (combin\$3 or calibrat\$3) same delay near line same address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:03
S19	2	(mux\$1 or select\$4 or multiplexor\$1) with (combin\$3 or calibrat\$3) same delay near line same tap near address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:04
S20	0	(mux\$1 or select\$4 or multiplexor\$1) with (combin\$3 or calibrat\$3) same (multiple or plurat\$3 or several or many) near4 delay\$1 same tap near address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:05
S21	4	(muo\$1 or select\$4 or multiplexor\$1) same (multiple or plural\$3 or several or many) near4 delay\$1 same tap near address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:07
522	1	(first and second) near4 (mux\$1 or select\$4 or multiplexor\$1) same (multiple or plural\$3 or several or many) near4 delay\$1 same tap near address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TD8	OR	OFF	2005/04/04 18:07
S23	2	(first and second) near4 (mux\$1 or select\$4 or multiplexor\$1) same (multiple or ptura\$3 or several or many) near4 delay\$1 and tap near address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:26

S8	1	(many or several or dual or plural\$3 or multiple or set) near4 tap near address\$2 with (mux or select\$3 or multiplexor) with delay near line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:16
59	12	tap near address\$2 same (mux\$1 or select\$4 or multiplexor\$1) with delay near line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:39
S10	2	tap near address\$2 and (first and second) near (muo\$1 or select\$4 or multiplexor\$1) with delay near line	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:40
S11	2	tap near address\$2 and (first and second) near (mux\$1 or select\$4 or multiplexor\$1) same delay near line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:41
512	132	(first and second) near (mux\$1 or select\$4 or multiplexor\$1) same delay near line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:41
S13	5	(first and second) near (mux\$1 or select\$4 or multiplexor\$1) same delay near line with address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:45
S14	1	(first and second) near (mux\$1 or select\$4 or multiplexor\$1) with delay near line with address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:42
515	1	(first and second) near (mux\$1 or select\$4 or multiplexor\$1) with delay near line same address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 17:42

Search History 4/14/2005 5:06:28 PM Page 2 C:\Documents and Settings\\wong\\dagger\young Documents\EAST\\\wonkspaces\10050233\_1.wsp

<b>S24</b>	38	(first and second) near4 (mux\$1 or select\$4 or multiplexor\$1) same (multiple or plural\$3 or several or many) near4 delay\$1 and modulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/04/04 18:26
S25	786	(muo\$1 or select\$4 or multiplexor\$1) same (multiple or plural\$3 or several or many) near4 delay\$1 and modulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:30
526	5	(first and second) near4 (mux\$1 or select\$4 or multiplexor\$1) same (multiple or plural\$3 or several or many) near4 delay\$1 same modulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:27
527	52	(mux\$1 or select\$4 or multiplexor\$1) same (multiple or plural\$3 or several or many) near4 delay\$1 with modulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:31
S28	152	(muo\$1 or select\$4 or multiplexor\$1) same (multiple or plural\$3 or several or many) near4 detay\$1 same modulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:31
529	195	modulator same (select\$3 or mux or multiplexor\$1) with delay near line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 13:55
530	10	modulator same (select\$3 or mux or multiplexor\$1) with delay near line and synthesizer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 13:59
S31	191663	modulator with output\$1 with delay near line with (mux or multiplexor or select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 13:59

S32	34	modulator with output\$1 with delay near line with (mux or multiplexor	US-PGPUB; USPAT;	OR	OFF	2005/04/05 14:40
	:	or select\$3)	USOCR; EPO; JPO; DERWENT; IBM_TDB			
533	1	phase near accumutator with fraction\$2 with frequency near accumulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:41
534	4	phase near accumulator same fraction\$2 same frequency near accumulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:43
S35	2	phase near accumutator and frequency near accumulator and tap near address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:52
536	4	(("20030152181") or ("6,768,442") or ("6,614,813") or ("6,353,649")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 14:46
537	2	phase adj accumulator and frequency adj accumulator and tap adj address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:52
S38	25	phase adj accumulator with frequency adj accumulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:52
539	2	(("4290022") or ("5970110")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 11:05
S40	0	S39 and accumulator	USPAT	OR	OFF	2005/04/06 11:06
541	0	539 and accumulator	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 11:06
S42	0	frequency near accumulator with tap near address\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 11:07

Search History 4/14/2005 5:06:28 PM Page 5 C:\Documents and Settings\\wong\\4y Documents\EAST\\Workspaces\10050233\_1.wsp

S56	1	tap near address\$2 and phase near offset near adder	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:09
\$57	1	tap near select\$3 and phase near offset near adder	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:10
S58	664	adder with phase near shift	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:10
S59	7	adder with phase near shift and delay near locked near loop	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:13
S60	108	adder with phase near shift and delay near line	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:13
561	6	adder with phase near shift and delay near line and tap near (select\$3 or mux or multiplexor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:15
562	8	adder with phase near shift and delay near line and tap near address\$2	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:21
563	2	adder with normaliz\$3 with phase near (shift\$1 or offset\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:22
S64	856	adder with phase near (shift\$1 or offset\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:22
S65	157	adder with phase near (shift\$1 or offset\$1) and delay near line	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:22
S66	18	adder with phase near (shift\$1 or offset\$1) and delay near line and tap near address\$2	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 13:55
S67	1	tap near4 processor with modulat\$3 near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 13:55

			. — —			
S43	1	frequency near accumulator same tap near address\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 11:08
544	1	frequency near accumulator with output near frequency with reference near clock near frequency	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 11:08
545	2	frequency near accumulator same output near frequency same reference near clock near frequency	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 11:09
S46	7	frequency near accumulator same output near2 frequency same reference near2 frequency	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 11:22
S47	2	frequency near accumulator and phase near accumulator and tap near address\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/06 11:23
548	21	frequency near accumulator with cycle\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 11:51
549	2	frequency near accumulator with cycle\$1 and delay near locked near loop	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 11:51
S50	1	frequency near accumulator with cycle\$1 and phase near accumulator with fraction\$2	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 11:52
\$51	1	frequency near accumulator with cycle\$1 and phase near accumulator same fraction\$2	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 11:52
S52	7	frequency near accumulator with cycle\$1 and phase near accumulator	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 11:53
S53	3	frequency near accumulator with cycle\$1 and delay near line	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:09
S54	0	tap near address\$2 with phase near offset near adder	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:09
SS5	0	tap near address\$2 same phase near offset near adder	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 12:09

Search History 4/14/2005 5:06:28 PM Page 6 C:\Documents and Settings\\wong\\4y Documents\EAST\\Workspaces\10050233\_1.wsp

_						
568	3	tap near4 processor same modulat\$3 near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/06 13:56
569	1	tap near addresses with adder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:07
570	12461	address\$2 with adder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:08
<b>571</b>	89	(delay or tap) near2 address\$2 with adder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:08
<b>S72</b>	162599	(delay or tap) near2 address\$2 with (first and second )adder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:09
573	1	(delay or tap) near2 address\$2 with (first and second) near adder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:10
S74	14	(delay or tap) near2 address\$2 with adder\$1 and delay near line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 15:59
S75	3	tap near3 processor with modulat\$4 near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:00
576	11	tap near3 processor with modulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:56

577	48659	frequency near modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:56
S78	83940	frequency near modulat§3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/06 16:56
579	16	\$78 and tap near address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 16:57
S80	3	(("5572547") or ("5787118") or ("3990100")).PN.	USPAT; USOCR	OR	OFF	2005/04/07 11:22
S81	123	(multiplexor or mux or select\$3) with (processor) with modulat\$3 near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 11:23
582	10	(multiplexor or mux or select\$3) with (processor) with modulat\$3 near signal and delay near line	US-PGPUB; USPAT; USOCR; EPO	OR .	OFF	2005/04/07 11:25
583	26	(multiplexor or mux or select\$3) with (processor) with modulat\$3 near signal and tap\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 11:23
S84	10	(multiplexor or mux or select\$3) with (processor) with modulat\$3 near signal with (tap\$1 or delay\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 14:10
S85	12	modulat\$3 with delay near line with accumulator	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 16:06
S86	150	modulat\$3 with delay near line with (select\$3 or choos\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 14:23
S87	42	modulat\$3 with delay near line with (select\$3 or choos\$3) with (phase or frequency or amplitude) near modulat\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 15:04

Search History 4/14/2005 5:06:28 PM Page 9 C:\Documents and Settings\\wong\\4y Documents\EAST\\Workspaces\10050233\_1.wsp

\$10 2	1	(multiple or many or plurality) with delay adj lock\$2 adj loop same (reconfigurable adj processor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:04
S10 3	6	(multiple or many or plurality) with delay adj lock\$2 adj loop and (multiple or plurality) with (tap near selection)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:05
S10 5	11	(multiple or many or plurality) with delay adj lock\$2 adj loop and (multiple or plurality) with (tap near4 selection)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:08
S10 6	43	delay adj lock\$2 adj loop and (multiple or plurality) with (tap near4 select\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:30
510 7	8	delay adj lock\$2 adj loop and (multiple or plurality) with (tap near4 select\$3) with (multiple or plurality or first or second) with tim\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:31
S10 8	92	(multiple or plurality) with (tap near4 selects3) with (multiple or plurality or first or second) with tim\$3	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:31
S10 9	31	(multiple or plurality) with (tap near4 select\$3) with (multiple or plurality or first or second) with tim\$3 same (delay near3 (line or network))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 18:15
511 0	31	(multiple or plurality) with (tap near4 select\$3) with (multiple or plurality or different) with tim\$3 same (delay near3 (line or network))	US-PGPUB; USPAT; USOCR; EPO	OR .	OFF	2005/04/07 18:14
511 1	4	(multiple or plurality) with (tap near4 select\$3) with (different) with tim\$3 same (delay near3 (line or network))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 18:14
S11 2	18	(multiple or plurality) with (tap near4 select\$3) with (multiple or plurality or different) near4 tim\$3 same (deby near3 (line or network))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 18:15

S89	12	(("4527126") or ("4704574") or	USPAT;	OR	OFF	2005/04/07 15:56
		("5179303") or ("5353025") or ("5452324") or ("5463337") or ("5537069") or ("5604775") or ("5610543") or ("5663665") or ("5744991") or ("5777501")).PN.	USOCR			
S90	6	(("4933890") or ("4951237") or ("5053982") or ("5247469") or ("5469479") or ("5905388")).PN.	USPAT; USOCR	OR	OFF	2005/04/07 15:56
591	4215	delay near line with (select\$3 or choos\$3) with (tap or delay)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 16:06
592	300	delay near look\$2 near loop with (select\$3 or choos\$3) with (tap or delay)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 16:08
S93	298	delay adj lock\$2 adj loop with (select\$3 or choos\$3) with (tap or delay)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 16:08
S94	9	delay adj lock\$2 adj loop with (select\$3 or choos\$3) with (tap or delay) and (375/371).CCLS.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 16:13
S95 :	75	delay adj lock\$2 adj loop with (multiple or plurality or many or several or first or second) adj5 (select\$3 or choos\$3) with (tap or delay)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:03
S96	5	(("6480045") or ("6538489") or ("6538489") or ("20030014682") or ("5774703") or ("6272646")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/07 16:49
S97	8	(first and second) near tap with selection same (plurality or multiple) near5 (delay\$1 or tap\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 16:50
S98	5	(first and second) near tap with selection same (delay near line)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 16:5:
\$99	2	(("6542040") or ("6510191")).PN.	USPAT; USOCR	OR	OFF	2005/04/07 16:59
\$10 0	1	(multiple or many or plurality) with delay adj lock\$2 adj loop with (reconfigurable adj processor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:0
\$10 1	21209	(multiple or many or plurality) with delay adj lock\$2 adj loop sae (reconfigurable adj processor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/07 17:0

Search History 4/14/2005 5:06:28 PM Page 10 C:\Documents\EAST\\Workspaces\10050233\_1.wsp

511	19	(("5,535,247") or ("5,303,400") or	US-PGPUB:	OR	OFF	2005/04/08 10:01
3		"6,100,735") or "5,471,659") or "6,226,505") or "(5,913,155") or "(6,515,630") or "(6,515,630") or "(6,515,630") or "(6,515,630") or "(6,516,690") or "(6,144,742,563") or "(6,144,120") or "(5,748,683") or "(6,054,139") or "(7,00200032042") or "(5,10,191") or "(70030152181") or "(70030154965")).PN.	USPAT; USOCR			
511 4	7112	frequency near synthesizer	USPAT	OR	OFF	2005/04/08 10:01
\$11 5	201	frequency near synthesizer and phase near accumulator	USPAT	OR	OFF	2005/04/08 10:01
S11 6	7	frequency near synthesizer and phase near accumulator and frequency near accumulator and (different or two or multiple or first or second) near2 tim\$3	USPAT	OR	OFF	2005/04/08 10:02
511 7	14	frequency near synthesizer and phase near accumulator and frequency near accumulator and (different or two or multiple or first or second) near2 (tim\$3 or clock\$1)	USPAT	OR	OFF	2005/04/08 14:09
S11 8	0	(programmable or configurable) near2 interface same encoder with parallel with serial	USPAT	OR	OFF	2005/04/08 14:10
S11 9	33	(programmable or configurable) near2 interface same encoder	USPAT	OR	OFF	2005/04/08 14:14
S12 0	7	phase near modulat\$3 with (tap or delay) with selection	USPAT	OR	OFF	2005/04/08 14:15
\$12 1	13	phase near modulat\$3 with (tap or delay) with selection	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/08 15:58
512 2	4	tap near3 select\$3 with (integrat\$3 or limit\$3) with (add\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/08 16:00
\$12 3	2	tap near3 select\$3 with (integrat\$3 or limit\$3) with modulat\$3 near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/08 16:30
S12 4	9	(tap or delay) near5 select\$3 with (integrat\$3 or limit\$3) with modulat\$3 near signal	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/08 16:30

512 12 (frequency near synthesizer) with (integrats3 or limits3) with modulat\$3 near signal	US-PGPU8; OR USPAT; USOCR; EPO	OFF	2005/04/08 16:30
--	---	-----	------------------

Search History 4/14/2005 5:06:28 PM Page 13 C:\Documents and Settings\\wong\\Py Documents\EAST\\Workspaces\10050233\_1.wsp